

Date of receipt: 31/01/22 SAVAS PLASTIK SAN. VE. TIC. A.S.

Date of issue:

03/03/22

BEYSAN SAN. SIT. BIRLIK CAD. NO: 18-BEY.
34524 ISTANBILI

34524 ISTANBUL TR - TURKEY

Report consists of 4 test reports.

Defects before testing: None

Sample name: ANTARES Table 80x120| Plastic legs | Tempered glass top

# **SAMPLE N° 323387**

Overall dimensions: 1200 x 800 x 775 (h) mm

## List of test reports:

- 1. Outdoor tables: safety requirements EN 581-1:2017 clause 5
- 2. Vertical static load test EN 1730:2012, clause 6.3
- 3. Horizontal fatigue test EN 1730:2012, clause 6.4.2
- 4. Stability under vertical load EN 1730:2012, clause 7.2



This document is part of a PDF file digitally signed by Franco Bulian.

The imanaging director
Dr. Franco Bulian



Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 L Membro degli MRA EA, IAF e ILAC

# TEST REPORT 323387 / 1

Revision: 0

 Date of receipt:
 31/01/22

 Date of test:
 24/02/22

 Date of issue:
 03/03/22

SAVAS PLASTIK SAN. VE. TIC. A.S. BEYSAN SAN. SIT. BIRLIK CAD. NO: 18-BEY. 34524 ISTANBUL TR - TURKEY

Sample name: ANTARES Table 80x120| Plastic legs | Tempered glass top

# Outdoor tables: safety requirements EN 581-1:2017 clause 5

### 5.1 General requirements

Requirements	Observed	Remarks
Table top: edges are rounded or chamfered	Yes	None
All other edges: are free from burrs and/or sharp edges	Yes	None
Movable and adjustable parts: are designed so to injuries and inadvertent operation are avoided	1	Movable and adjustable parts not present
Load bearing part of table: shall not be possible to come loose unintentionally	Yes	None
Parts which are lubricated: all the parts which are lubricated shall be designed to protect users	1	Parts which are lubricated not present

## 5.2 Tubular components

Ends of hollow tubolar components with $\emptyset \ge 7$ mm and $\le 12$ mm where the accessible depth is $\ge 10$ mm: not present	Yes	None
Bottom of tubolar legs, holes ≥ 7 mm and ≤ 12 mm: not present	Yes	None

## 5.3.2 Shear and squeeze points under influence of powered mechanisms

Requirements		Observed	Remarks	
Absence of shear ar powered mechanism	nd squeeze points under influence of as	1	Powered mechanisms not present	

## 5.3.3 Shear and squeeze points during use

Requirements	Observed	Remarks
Absence of shear and squeeze points created by forces applied during normal use, see: EN 581-3:2017 - Table 1	Yes	None

#### Note:

The test results comply with safety requirements of EN 581-1:2017 clause 5

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian



Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 L Membro degli MRA EA, IAF e ILAC

# TEST REPORT 323387 / 2

Revision: 0

 Date of receipt:
 31/01/22

 Date of test:
 24/02/22

 Date of issue:
 03/03/22

01/22 02/22 03/22 SAVAS PLASTIK SAN. VE. TIC. A.S. BEYSAN SAN. SIT. BIRLIK CAD. NO: 18-BEY. 34524 ISTANBUL TR - TURKEY

Sample name: ANTARES Table 80x120| Plastic legs | Tempered glass top

# Vertical static load test EN 1730:2012, clause 6.3

## Clause 6.3.1 Vertical static load test on main surface

## Test results:

Load application position	Vertical force N	Number of cycles	Remarks
100 mm from the edge of the top, at the middle of the long side	1000	10	No defects
Geometrical centre of the top	1000	10	No defects

# Clause 6.3.2 Additional vertical static load test where the main surface has a lenght > 1600mm

## Test results:

2 Load application positions	Vertical force N	Number of cycles	Remarks
On the longitudinal axis, 400 mm on either side of the transversal axis	1	1	Not applicable

## Clause 6.3.3 Vertical static load test on ancillary surface

## Test results:

Load application position	Vertical force N	Number of cycles	Remarks
100 mm from the edge of the top, at the middle of the long side	1	1	Not applicable

### Note:

The test has been carried out according to Table 1 of EN 581-3:2017 Test level: Contract

The test results comply with strength and durability requirements of EN 581-3:2017 clause 5.2.2 (a,b,c)

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian



Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 L Membro degli MRA EA, IAF e ILAC

# TEST REPORT 323387 / 3

Revision: 0

 Date of receipt:
 31/01/22

 Date of test:
 24/02/22

 Date of issue:
 03/03/22

SAVAS PLASTIK SAN. VE. TIC. A.S. BEYSAN SAN. SIT. BIRLIK CAD. NO: 18-BEY. 34524 ISTANBUL TR - TURKEY

Sample name: ANTARES Table 80x120| Plastic legs | Tempered glass top

# Horizontal fatigue test EN 1730:2012, clause 6.4.2

## Test results:

Direction of the force	Specified horizontal force N	Applied horizontal force N	Number of cycles	Load on top kg	Remarks
Longitudinal (Fa)	300	300	20000	50	No defects
Longitudinal (Fb)	300	300	20000	50	No defects
Transverse (Fc)	300	200	20000	50	No defects
Transverse (Fd)	300	200	20000	50	No defects

### Note:

The test has been carried out according to Table 1 of EN 581-3:2017 Test level: Contract

The test results comply with strength and durability requirements of EN 581-3:2017 clause 5.2.2 (a,b,c) According to EN 1730:2012, horizontal force applied has been reduced to avoid tipping of the table.

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian



Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 L Membro degli MRA EA, IAF e ILAC

## **TEST REPORT**

323387 / 4

Revision: 0

 Date of receipt:
 31/01/22

 Date of test:
 03/03/22

 Date of issue:
 03/03/22

Sample name:

SAVAS PLASTIK SAN. VE. TIC. A.S. BEYSAN SAN. SIT. BIRLIK CAD. NO: 18-BEY. 34524 ISTANBUL TR - TURKEY

Sample name: ANTARES Table 80x120| Plastic legs | Tempered glass top

# Stability under vertical load EN 1730:2012, clause 7.2

Type of surface tested:

Longest dimension of the table top (L): 1.200 mm

Test results:

Vertical force N	Remarks
300	The table does not tip

Note:

The test has been carried out according to Table 1 of EN 581-3:2017
The test results comply with stability requirements of EN 581-3:2017 clause 5.2.2

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director Dr. Franco Bulian